Appen	dix C. NASS/CDS Data Elements
	The data are collected on six forms: the Accident Form, the General Vehicle Form, the Exterior Vehicle Form, the Interior Vehicle Form, the Occupant Assessment Form, and the Occupant Injury Form. There are 310 different data elements in the NASS/CDS that characterize the crash, vehicles, and the people involved. This appendix includes the forms used for each crash in the CDS.

ACCIDENT FORM TIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Administration			CRASHW	URTHINESS DA	AIA SYSIEM
Primary Sampling Unit Nur	nber				
Case Number - Stratum		comple) each special study (SS ted; code 1 for the ched	ked special studies	
		specia	al studies not che	ecked.	
3. Number of General Vehicle Forms Submitted			SS15 Adminis		
4. Date of Accident (Month,Day,Year)/_			SS16 Pedestr (Data for this sp in a separate file SS17 Impact	oecial study avai e.)	-
5. Time of Accident _		9	SS18 Unsafe	Driver Action	s
Code reported military ti NOTE: Midnight = 2400 Unknown= 9999	me of accident.		SS19 Run Off	f Road	
			Jumber of Record n This Accident	ed Events	
			code the number of this accident.	of events whic	ch occurred
For each event that occurred in the according to the right column		t numbered ve	hide in the left columns	and the other invol	ved vehide
Accident Event Sequence Vehicle Number Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of	General Area of Damage
12. <u>0</u> <u>1</u> 13	14	15	16	17	18
19. <u>0</u> <u>2</u> 20	21	22	23	24	25
26. <u>0</u> <u>3</u> 27	28	29	30	31	32
33. <u>0 4</u> 34	35	36	37	38	39
40. <u>0</u> <u>5</u> 41	42	43	44	45	46
IF GREATER THAN FIVE EVEN	TS. CONTINUE	CODING C	N THE ACCIDEN	T EVENT SUF	PPLEMENT

CODES FOR CLASS OF VEHICLE (31) Large pickup truck (# 4,536 kgs GVWR) (00) Not a motor vehicle (01) Subcompact/mini (wheelbase < 254 cm) (38) Other pickup truck (# 4,536 kgs GVWR) (02) Compact (wheelbase \$ 254 but < 265 cm) (39) Unknown pickup truck type (# 4,536 kgs GVVR (03) Intermediate (wheelbase \$ 265 but < 278 cm) (45) Other light truck (# 4,536 kgs GVWR) (04) Full size (wheelbase \$ 278 but < 291 cm) (48) Unknown light truck type (# 4,536 kgs GVWR) (05) Largest (wheelbase \$ 291 cm) (49) Unknown light vehicle type (09) Unknown passenger car size (50) School bus (excludes van based)(>4,536 kgs GV (14) Compact utility vehicle (58) Other bus (> 4,536 kgs GVWR) (15) Large utility vehicle (# 4,536 kgs GVWR) (59) Unknown bus type (16) Utility station wagon (# 4,536 kgs GVWR) (60) Truck (> 4,536 kgs GVWR) (19) Unknown utility type (67) Tractor without trailer (20) Minivan (# 4,536 kgs GVWR) (68) Tractor-trailer(s) (21) Large van (# 4,536 kgs GVWR) (78) Unknown medium/heavy truck type (24) Van Based school bus (# 4,536 kgs GVWR) (79) Unknown light/medium/heavy truck type (28) Other van type (# 4,536 kgs GVWR) (80) Motored cycle (29) Unknown van type (# 4,536 kgs GVWR) (90) Other vehicle (30) Compact pickup truck (# 4,536 kgs GVWR) (99) Unknown CODES FOR GENERAL AREA OF DAMAGE (GAD) CDS APPLICAB(O): Not a motor vehicle (R) Right side (T) Top AND OTHER (N) Noncollision (L) Left side (U) Undercarriage (F) Front **VEHICLES** (B) Back (9) Unknown (0) Not a motor vehicle (L) Left side TDC (C) Rear of cab APPLICABLE (N) Noncollision (B) Back of unit with cargo area (B) Front of cargo area VEHICLES (F) Front (rear of trailer or straigh(T)trLook) (R) Right side (D) Back (rear of tractor) (U) Undercarriage (9) Unknown CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED (01-30) — Vehicle Number (57) Fence (58) Wall Noncollision (59) Building (60) Ditch or culvert (31) Overturn — rollover (excludes end-over-end) (32) Rollover - end-over-end (61) Ground (33) Fire or explosion (62) Fire hydrant (34) Jackknife (63) Curb (35) Other intraunit damage (specify): (64) Bridge (68) Other fixed object (specify): (36) Noncollision injury (38) Other noncollision (specify): (69) Unknown fixed object (39) Noncollision — details unknown Collision with Nonfixed Object (70) Passenger car, light truck, van, or other vehicle Collision With Fixed Object transport (41) Tree (# 10 cm in diameter) (71) Medium/heavy truck or bus not in-transport (42) Tree (> 10 cm in diameter) (72) Pedestrian (43) Shrubbery or bush (73) Cyclist or cycle (44) Embankment (74) Other nonmotorist or conveyance (45) Breakaway pole or post (any diameter) (75) Vehicle occupant Nonbreakaway Pole or Post (76) Animal (50) Pole or post (# 10 cm in diameter) (77) Train (78) Trailer, disconnected in transport (51) Pole or post (> 10 cm but # 30 cm in diameter) (52) Pole or post (> 30 cm in diameter) (79) Object fell from vehicle in-transport (53) Pole or post (diameter unknown) (88) Other nonfixed object (specify): (89) Unknown nonfixed object (54) Concrete traffic barrier (55) Impact attenuator (56) Other traffic barrier (includes guardrail) (98) Other event (specify): (specify):_ (99) Unknown event or object

Ú.S. Nati Adm	Department of Transportation ional Highway Traffic Safety GENERAL VE hinistration	НІ	CLE PORM ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM
2.	Primary Sampling Unit Number Case Number - Stratum	12.	Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
	Vehicle Number Vehicle Model Year Code the last two digits of the model year (99) Unknown	13.	mph X 1.6093 = kmph Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
5.	Vehicle Make (specify):		(8) No driver present (9) Unknown
	Applicable codes are found in your NASS Data Collection, Coding and Editing Manual. (99) Unknown	14.	Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
6.	Vehicle Model (specify): Applicable codes are found in your NASS Data Collection, Coding and Editing Manual. (999) Unknown		(97) AC test performed, results unknown (98) No driver present (99) Unknown Source:
	Body Type Note: Applicable codes may be found on the back of this page. Vehicle Identification Number	15.	Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported
	Left justify; Slash zeros and letter Z (Ø andZ) No VIN—Code all zeros Unknown—Code all nines	16.	 (8) No driver present (9) Unknown Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug(s) not found in specimen (2) Drug(s) found in specimen, (specify):
9.	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus		 (3) Specimen test given, results unknown or n (8) No driver present (9) Unknown if specimen test given
	(4) Military(5) Police(6) Ambulance	17.	Driver's Zip Code (00001) Driver not a resident of U.S. or territories
	(7) Fire truck or car(8) Other (specify):(9) Unknown		Code actual 5-digit zip code (99998) No driver present (99999) Unknown
		1Ω	Driver's Race/Ethnic Origin
	Police Reported Vehicle Disposition (0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown	10.	(1) White (non-Hispanic)(2) Black (non-Hispanic)(3) White (Hispanic)(4) Black (Hispanic)(5) American Indian, Eskimo or Aleut
11.	Police Reported Travel Speed Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown		(6) Asian or Pacific Islander (7) Other (specify): (8) No driver present (9) Unknown
	mph X 1.6093 = kmph		

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES Light Conventional Trucks (Pickup style cab, # 4,536 kgs GVWR) (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrc Automobiles [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-1 (01) Convertible (excludes sun-roof, t-bar) Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pic 2-door sedan, hardtop, coupe (03) 3-door/2-door hatchback (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, E (04) 4-door sedan, hardtop W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-(05) 5-door/4-door hatchback Sierra, R100-R500, T100) (06) Station wagon (excluding van and truck based) (32) Pickup with slide-in camper (07) Hatchback, number of doors unknown (33) Convertible pickup (08) Other automobile type (specify): (39) Unknown pickup style light conventional truck type (09) Unknown automobile type Other Light Trucks (# 4,536 kgs GVWR) (40) Cab chassis based (includes rescue vehicles, light stall Automobile Derivatives Ranchel Brat, and (10) Auto based pickup (includes El Camino, Caballero (41) Truck based panel Rabbit pickup) (11) Auto based panel (cargo station wagon, auto based affigulately fruck based motorhome (chassis mounted) (12) Large limousine - more than four side doors or stretched chiber light conventional truck type (13) Three-wheel automobile or automobile derivative (48) Unknown light truck type (13) Three-wheel automobile or automobile derivative (49) Unknown light vehicle type (automobile, utility, van, c Utility Vehicles (# 4,536 kgs GVWR) (14) Compact utility (Jeep CJ-2 - CJ-7, Scrambler, Golden Eagle, Renegade Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bron OTHER VEHICLES Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Reuses (Excludes a Validade) 4-Runner, Montero, Passport, Samurai, Sidekick, Rocky) School bus (designed to carry students, not (15) Large utility (includes Jeep Cherokee [83 and before], Ramenas equatry or transit) Trailduster, Bronco-fullsize [78 and after], fullsize Bla (58), fullsize bushtype (e.g., transit, intercity, bus based motorhome) (specify): Hummer, Landcruiser, Rover, Scout, Yukon) (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand. (59) Unknown bus type Wagoneer, includes suburban limousine) (19) Utility, unknown body type Medium/Heavy Trucks (> 4,536 kgs GVWR) (60) Step van (> 4,536 kgs GVWR) Van Based Light Trucks (# 4,536 kgs GVWR) (20) Minivan (Town and Country, Caravan, Grand Caravan (சி) இந்து அடிகு traight truck Voyager, Mini-Ram, Vista, Aerostar, Windstar, Villager, Luntana 34pkgs < GVWR # 8,845 kgs) Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota โก่เกิดโลมุกี่t straight truck Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Expo Wages, kgs < GVWR # 11,793 kgs) Vanagon/Camper.) (63) Single unit straight truck (> 11,793 kgs GVWR) Vanagon/Camper.) (21) Large van (B150-B350, Sportsman, Royal, Maxiwago(64)中海高神gle unit straight truck, GVWR unknown Tradesman, Voyager [83 and before], E150-E350, Econolin Medium heavy, truck based motorhome Chateau, G10-G30, Chevy Van, Beauville, Sport Van, 修列。 透映版語歌歌歌歌 (69) Truck-tractor pulling two or more trailers (22) Step van or walk-in van (# 4,536 kgs GVWR) (70) Truck-tractor (unknown if pulling trailer) (23) Van based motorhome (# 4,536 kgs GVWR) (78) Unknown medium/heavy truck type (24) Van based school bus (# 4,536 kgs GVWR) (79) Unknown truck type (light/medium/heavy) (25) Van based other bus (# 4,536 kgs GVWR) (28) Other van type (Hi-Cube Van, Kary) (specify): Motored Cycles (Does Not Include All-Terrain (29) Unknown van type Vehicles/Cvcles) (80) Motorcycle (81) Moped (motorized bicycle) (82) Three-wheel motorcycle or moped (88) Other motored cycle (minibike, motorscooter) (specify): (89) Unknown motored cycle type Other Vehicles (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle) (91) Snowmobile (92) Farm equipment other than trucks (93) Construction equipment other than trucks (97) Other vehicle type (99) Unknown body type

19.	Relation To Interchange Or Junction (0) Non-interchange area and non-junct (1) Interchange area related Non-Interchange junctions (2) Intersection related (3) Driveway, alley access related (4) Other junction (specify)	tion	25.	Roadway Surface Condition (1) Dry (2) Wet (3) Snow or slush (4) Ice (5) Sand, dirt, or oil (8) Other (specify): (9) Unknown
	(5) Unknown type of junction (9) Unknown		26.	Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
20.	Trafficway Flow (0) Not physically divided (two way traff (1) Divided trafficway-median strip with (2) Divided trafficway-median strip with (3) One way traffic	out po	ositi i z g.l	(5) Dusk (9) Unknown ve barrier Afficispheric Conditions (0) No adverse atmospheric-related driving condi
21.	(9) Unknown Number Of Travel Lanes (1) One (2) Two (3) Three (4) Four			 (1) Rain (2) Sleet/hail (3) Snow (4) Fog (5) Rain and fog (6) Sleet and fog (7) Other (e.g., smog, smoke, blowing sand or du (specify):
22.	(5) Five(6) Six(7) Seven or more(9) UnknownRoadway Alignment		28.	(9) Unknown Traffic Control Device (0) No traffic control(s) (1) Traffic control signal (not RR crossing)
	(1) Straight (2) Curve right (3) Curve left (9) Unknown			Regulatory (2) Stop sign (3) Yield sign (4) School zone sign (5) Other regulatory sign (specify):
23.	Roadway Profile (1) Level (2) Uphill grade (>2%) (3) Hill crest (4) Downhill grade (>2%) (5) Sag (9) Unknown			(6) Warning sign (not RR crossing) (7) Unknown sign (8) Miscellaneous/other controls including RR cor (specify): (9) Unknown
24.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or block (4) Slag, gravel, or stone (5) Dirt (8) Other (specify): (9) Unknown		29.	Traffic Control Device Functioning (0) No traffic control device (1) Traffic control device not functioning (specify):

30.	Drive	er's Distraction/Inattention To Driving	(01)	up) (specify):
	(00) (01)	or To Recognition Of Critical Event) No driver present Attentive or not distracted Looked but did not see		Poor road conditions (puddle, pot hole, ice, etc.) (specify):
	(03)	Distractions By other occupant(s), (specify):		Traveling too fast for conditions Other cause of control loss (specify):
	(04)	By moving object in vehicle (specify):	(09)	Unknown cause of control loss
	(05)	While talking or listening to cellular phone (specify location and type of phone):		
	(06)	While dialing cellular phone (specify location and type of phone):		
	(07) (08)	While adjusting climate controls While adjusting radio, cassette, CD (specify):		
	(09)	While using other device/controls integral to vehicle (specify):		
	(10)	While using or reaching for device/object brought into vehicle (specify):		
		Sleepy or fell asleep Distracted by outside person, object, or event (specify):		
	(13) (14)	Eating or drinking		
	(97)	Distracted/inattentive, details unknown Other, distraction (specify):		
	(30)	——————————————————————————————————————		
	(99)	Unknown		
31.		Event Movement (Prior to		
	(00)	No driver present Going straight		
	(02)	Decelerating in traffic lane		
	(03)	Accelerating in traffic lane Starting in traffic lane		
	(05)	Stopped in traffic lane Passing or overtaking another vehicle		
	(07)	Disabled or parked in travel lane		
	(08)	Leaving a parking position Entering a parking position		
	(10)	Turning right Turning left		
	(12)	Making a U-turn		
	(14)	Backing up (other than for parking position) Negotiating a curve		
	(15) (16)	Changing lanes Merging		
		Successful avoidance maneuver to a previous critical event		
	(97)	Other (specify):		
	(99)	Unknown		
32.		cal Precrash Event		
		S VEHICLE LOSS OF CONTROL DUE TO: Blow out or flat tire		
	(02)	Stalled engine		
	(03)	Disabling vehicle failure (e.g., wheel fell off) (specify):		
			I	

THIS VEHICLE TRAVELLING

- (10) Over the lane line on left side of travel lane
- (11) Over the lane line on right side of travel lane(12) Off the edge of the road on the left side
- (13) Off the edge of the road on the right side (14) End departure

- (15) Turning left at intersection(16) Turning right at intersection
- (17) Crossing over (passing through) intersection
- (18) This vehicle decelerating(19) Unknown travel direction

OTHER MOTOR VEHICLE IN LANE

- (50) Other vehicle stopped(51) Traveling in same direction with lower steady speed
- (52) Traveling in same direction while decelerating
 (53) Traveling in same direction with higher speed
 (54) Traveling in opposite direction
- (55) In crossover
- (56) Backing
- (59) Unknown travel direction of other motor vehicle in

OTHER MOTOR VEHICLE ENCROACHING INTO

- (60) From adjacent lane (same direction)—over left
- (61) From adjacent lane (same direction)—over right lane line
- (62) From opposite direction—over left lane line
- (63) From opposite direction—over right lane line(64) From parking lane
- (65) From crossing street, turning into same direction
- (66) From crossing street, across path(67) From crossing street, turning into opposite direction
- (68) From crossing street, intended path not known
- (70) From driveway, turning into same direction(71) From driveway, across path
- (72) From driveway, turning into opposite direction
- (73) From driveway, intended path not known
- (74) From entrance to limited access highway
- (78) Encroachment by other vehicle—details unknown

PEDESTRIAN, PEDALCYCLIST, OR OTHER **NONMOTORIST**

- (80) Pedestrian in roadway
- (81) Pedestrian approaching roadway
- (82) Pedestrian—unknown location(83) Pedalcyclist or other nonmotorist in roadway (specify):
- (84) Pedalcyclist or other nonmotorist approaching roadway, (specify):
- (85) Pedalcyclist or other nonmotorist—unknown location

(specify):

OBJECT OR ANIMAL

- (87) Animal in roadway(88) Animal approaching roadway
- (89) Animal—unknown location
- (90) Object in roadway
- (91) Object approaching roadway
- (92) Object—unknown location
- (98) Other critical precrash event (specify):

(99) Unknown

33.	Attempted Avoidance Maneuver (00) No driver present (01) No avoidance maneuver (02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown) (05) Releasing brakes (06) Steering left (07) Steering right (08) Braking and steering left (09) Braking and steering right (10) Accelerating	35.	Pre-Impact Location (0) No driver present (1) Stayed in original travel lane (2) Stayed on roadway but left original travel (3) Stayed on roadway, not known if left orig (4) Departed roadway (5) Remained off roadway (6) Returned to roadway (7) Entered roadway (9) Unknown	
	(11) Accelerating and steering left (12) Accelerating and steering right (98) Other action (specify):	36.	Accident Type (Note: Applicable codes on back of this page) (00) No impact	
24	(99) Unknown Pre-Impact Stability		Code the number of the diagram that bes the accident circumstance (98) Other accident type (specify):	ta€
34.	 (0) No driver present (1) Tracking (2) Skidding longitudinally—rotation less than (3) Skidding laterally—clockwise rotation 	30	(99) Unknown degrees	
	(4) Skidding laterally—counterclockwise rotat (7) Other vehicle loss-of-control (specify):	ion		
	(9) Precrash stability unknown			
	STOP HERE IF GV07 DO) PES	NOT EQUAL 01 - 49	
		•		
				•

Bati Care	Configur-		ACCIDENT TYPES ((ncludes Intent)		
	A Right Roadside Departure	ORIVE OFF	CONTROL/ TRACTION LOSS	AVOID COLLISION WITH VEH . PED., ANIM.	G4 SPECIMOS GTHER	06 SPECINGS UNKNOWN
Single Dever	B Left Rondside Departuie	ORIVE OFF	CONTROL/ TRACTION LOSS	AVDID GOLLISION WITH VEH. PED . BRIM.	OS SPECIFICS OTHER	10 SPECIFICS UNKNOWN
-	C Forward Impact	PARKED VEH. ETA	2 13	AN/ END DEFARTURE	16 4PEOFICE OTHER	15 SPECIFICS UNKNOWN
Deep American	D Rear Enu	20 2 21 21 22 22	1 🚣 🚟 + 28	28 30 	(EACH + 32) SPECIFICS OTHER	(EACH + 33)
II Same Trathic way Same Directora	E Forward Impatt	TRACTION LOSS TR	ACTION LOSS WITH	COLLIBION AVOID COL	<u>'</u> _ 41 L'8100	421 (EACH + 43) S SPECIFICS UNKNOWN
	F Sydeswipe Angle	44 -45		[EACH - 46) SPECHICA OTHER		H + 49) RGS UNKNOWN
lion.	G Head-On	SO 51	(EACH + 52) specifics other	SPECIFICS UNKNO	njurtë	
Same Tradficway Opposte Direction	H Forward Impact			D COLUSION AVOID COL	61 Libion specific	• EZHEACH • ED)
≡ .	I. Sideswipe: Angle	LATERAL MOVE	(EACH+86) SPECIFICS DTHER	(EACH - 67) SPECIPICE UNKN	awa	
Tafficway Turning	J. Turn Actoss Path	HITTIAL OPPOSITE	71 - 70 HITTAL SAME DIRE	CTIONS	EPECIFICS OTHER	74) IEACH + 751 E SPECIFICS UNKNOWN
JV Change Traffice Vehicle Turning	K. Turn Into Path	TURK INTO SAME DIRI	78 80 ECTION TURN	FATO OPPOSITE DIRECTION	SPECIFICA	841 (EACH = 85) B SPECIFICS UNKNOWN
ing Paths (Vehicle Dwags)	L. Straight Paths	*7	= 0	(EACH - 90) SPECIFICS OTHER	(EACH+	91) LUNKHOWN
VI Macel	M. Becking Etc		TH VEH.	96 Other Acc 99 Unknown 00 No Impect	Accident Type	

			44.	Vehi	cle Cargo Weight, 0
37.		ver Presence in Vehicle			Code weight to nearest 10 kilograms.
		Driver not present Driver present		(000	
	(9)	Unknown		(999) Unknown -
38.	Nur	mber of Occupants This Vehicle			, lbs X .4536 =, kgs
	(00	-96) Code actual number of occupants for this vehicle		Sou	rce:
		97 or more			
	(99)) Unknown	45.	Rollo	
39.	Nur	mber of Occupant Forms Submitted		. ,	No rollover (no overturning)
			axi	s)	over (primarily about the longitudinal
40.	ls t	his an AOPS Vehicle?	(O	(16) (17)	
	(O) (1)	No (includes unknown) Yes - researcher determined		, ,	
	(2)	VIN determined air bag system		(98)	lateral axis)
	(4)	VIN determined automatic (passive) belts VIN determined air bag and automatic (p	assiv	(99) ve) b	Rollover (overturn), details unknown elts
⊿ 1		Bag(s) Deployment, First Seat Frontal		Rollo	over Initiation Type
71.	(O)	Not equipped or not available		(01)	No rollover Trip-over
		No air bags deployed gle Air Bag Vehicle			Fliṗ-over Turn-over
		Driver air bag deployed Driver air bag, unknown if deployed		(04)	Climb-over
				(06)	Fall-over Bounce-over
	(4)	offiliation of the state of the			Collision with another vehicle Other rollover initiation type specify):
	(5) (6) (7)	Passenger side only deployed Driver and passenger side deployed			Rolloverend-over-end
	(7)	Driver and passenger side deployed Driver and passenger side unknown if deployed		(99)	Unknown rollover initiation type
		Air bag(s) deployed, details unknown	47.	Loca	ition of Rollover Initiation
	` ,	Unknown			No rollover On roadway
42.		Bag(s) Deployment, Other Than First at Frontal		(2)	On shoulder—paved
	(O)	 		(4)	On shoulder—unpaved On roadside or divided trafficway median Rolloverend-over-end
	(1) (2) (3)	Deployed inadvertently just prior to accid	mpa ent	(8) (9)	Rolloverend-over-end Unknown
	(3) (4)	Deployed, details unknown Deployed as a result of a noncollision even			
		accident sequence (e.g., fire, explosion, e	lect	rinal)	:: Applicable codes on back of page)
	(5) (7)	Unknown if deployed Nondeployed	49.	Loca	ition on Vehicle Where Initial Principal
	(9)	Unknown		Trip	oing Force Is Applied No rollover
	Spe	cify type of "other" air bag present:		(1)	Wheels/tires
				(3)	Side plane End plane
				(4) (5)	Undercarriage Other location on vehicle (specify):
				• •	
					Non-contact rollover forces (specify):
43		Vehicle Curb Weight 0			Rolloverend-over-end Unknown
		Code weight to nearest 10 kilograms.	50		ction of Initial Roll
		(045) Less than 454 kilograms	50.	(O)	No rollover
		(612) 6,124 kilograms or more (999) Unknown		(2)	Roll right - primarily about the longitudinal a Roll left - primarily about the longitudinal ax
		, lbs X .4536 =, kg	5	(8)	Rolloverend-over-end Unknown roll direction
		Source:		(7)	Stational direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover (01-30) — Vehicle Number	(57) Fence (58) Wall
Noncollision (31) Turn-over — fall-over (32) No rollover impact initiation (end-over-end (34) Jackknife	(59) Building (60) Ditch or culvert (61) Ground d) (62) Fire hydrant (63) Curb (64) Bridge
Collision With Fixed Object	(68) Other fixed object (specify):
(41) Tree (# 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush	(69) Unknown fixed object
(44) Embankment	Collision with Nonfixed Object
(45) Breakaway pole or post (any diameter)	 (70) Passenger car, light truck, van, or other veh in-transport (71) Medium/heavy truck or bus not in-transport
Nonbreakaway Pole or Post (50) Pole or post (# 10 cm in diameter) (51) Pole or post (> 10 cm but # 30 cm in diameter) (52) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown)	(76) Animal (77) Train nete(78) Trailer, disconnected in transport (79) Object fell from vehicle in-transport (88) Other nonfixed object (specify):
(54) Concrete traffic barrier (55) Impact attenuator	(89) Unknown nonfixed object
(56) Other traffic barrier (includes guardrail) (specify):	(98) Other event (specify):
(3500.13)	(99) Unknown event or object

		(9) Unknown
51.	Front Override/Underride (this Vehicle)	(7) C
52.	Rear Override/Underride (this Vehicle) (0) No override/underride, or not an end-to-er between two CDS applicable vehicles, and medium/heavy truck or bus underride	
GV	Override (see specific CDC) [Between 2 CDS applicable vehicles (Bodytype, 07=1-49)] (1) 1st CDC (2) 2nd CDC (3) Other not automated CDC (specify):	
GV	Underride (see specific CDC) [Between 2 CDS applicable vehicles (Bodytype, 07=1-49)] (4) 1st CDC (5) 2nd CDC (6) Other not automated CDC (specify):	
	(7) Medium/heavy truck or bus override (of ar configuration)(9) Unknown	у
	Values:(000)-(359) Code actual value (996) Non-horizontal impact (997) Noncollision (998) Impact with object (999) Unknown	
53.	Heading Angle For This Vehicle	
54.	Heading Angle For Other Vehicle	
55	Towed Trailing Unit (0) No towed unit (1) Yes—towed trailing unit (9) Unknown	
56.	Documentation of Trajectory Data for This Vehicle (0) No (1) Yes	
57.	Post Collision Condition of Tree or Pole (For Highest Delta V) (O) Not collision (for highest delta V) with tree or pole (1) Not damaged (2) Cracked/sheared (3) Tilted < 45 degrees (4) Tilted \$45 degrees (5) Uprooted tree (6) Separated pole from base (7) Pole replaced (8) Other (specify):	

58.	Basis for Total (Resultant) Delta V (highest)
	(00) No vehicle inspection
	Delta V Calculated (01) Reconstruction program-damage only routine (02) Reconstruction program-damage and trajectory routine (03) Missing vehicle algorithm
	Delta V Not Calculated (04) At least one vehicle (which may be this vehicle) is beyond the scope of an acceptable reconstruction program, regardless of collision conditions.
	All vehicles within scope (CDC applicable) of reconstruction program but one of the collision conditions is beyond the scope of the reconstruction program or other acceptable reconstruction technique, regardless of adequacy of damage data.
	 (05) Rollover (06) Other non-horizontal forces (07) Sideswipe type damage (08) Severe override (09) Yielding object (10) Overlapping damage (11) All vehicle and collision conditions are within scope of one of the acceptable reconstruction programs, but there is insufficient data available, (specify):
	(98) Other, (specify):

Total Delta V	Highest	63.	Impact	Speed	Highest
Nearest kmph (highest) Nearest kmph (secondary	y)			Nearest kmph (highest) Nearest kmph (secondai	ry)
(160) 159.5 kmph and above (999) Unknown	nph) Highest		less th	an 0.5 kmph)	n
Delta V!					
Nearest kmph (highest)		64.			gram
Nearest kmph (secondary	/)		Result (0) No	s (For Highest Delta V) o reconstruction	
(NOTE:000 means greater than !0.5 kmph and less than +0.5 kmph (±160) ±159.5 kmph and above (999) Unknown			re (2) Co (3) Co (4) Bo	asonable ollision fits model — results a ollision fits model — results o orderline reconstruction — re	appear high appear low
Lateral Component of Delta₩!	Highest 				Highest
Nearest kmph (highest)		65.	Barrier	Equivalent Speed	riigilest
Nearest kmph (secondary	y)				
+0.5 kmph) ±160) ±159.5 kmph and above _999) Unknown		and	(NOT less t	Nearest kmph (secondai E: 000 means han 0.5 kmph) 159.5 kmph and above	
Energy Absorption	0 0		(,,,,	O'IIII IO	
Nearest 100 joules (high	nest)				
Nearest 100 joules (second	ondary)				
(NOTE: 0000 means less than 50 j (9997) 999,650 joules or more (9999) Unknown	joules)				
	Nearest kmph (highest) Nearest kmph (secondary (NOTE: 000 means less than 0.5 km (160) 159.5 kmph and above (999) Unknown Longitudinal Component of + Delta V! Nearest kmph (highest) Nearest kmph (secondary (NOTE: _000 means greater than ! 0.5 kmph and less than +0.5 kmph (±160) ±159.5 kmph and above (_999) Unknown Lateral Component of Delta *\foundary Nearest kmph (highest) Nearest kmph (secondary (NOTE: _000 means greater than ! +0.5 kmph) ±160) ±159.5 kmph and above _999) Unknown High Energy Absorption Nearest 100 joules (high Nearest 100 joules (secondary) Nearest 100 joules (secondary)	Total Delta V	Nearest kmph (highest) Nearest kmph (secondary) (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown Highest Longitudinal Component of + Delta V Nearest kmph (secondary) (NOTE:000 means greater than 10.5 kmph and less than +0.5 kmph) (±160) ±159.5 kmph and above (999) Unknown Highest Lateral Component of Delta *V Nearest kmph (secondary) (NOTE:000 means greater than ! 0.5 kmph and above (999) Unknown Highest Nearest kmph (secondary) (NOTE:000 means greater than ! 0.5 kmph and +0.5 kmph) (±160) ±159.5 kmph and above (999) Unknown Highest Energy Absorption Nearest 100 joules (highest) Nearest 100 joules (secondary) (NOTE:000 means less than 50 joules) (9997) 999,650 joules or more	Nearest kmph (highest) Nearest kmph (secondary) (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown Highest Longitudinal Component of + Delta V Nearest kmph (secondary) (NOTE:	Nearest kmph (highest) Nearest kmph (highest) Nearest kmph (secondary) Nearest kmph (highest) Nearest kmph (highest) Nearest kmph (highest) Nearest kmph (secondary) Nearest kmph (highest) Nearest kmph (highest) Nearest kmph (highest) Nearest kmph (secondary) Nearest

66. Estimated Highest Delta V (Researcher Determined) (0) Reconstruction Delta V coded Estimated Delta V (1) Less than 10 kmph (2) \$ 10 kmph but < 25 kmph (3) \$ 25 kmph but < 40 kmph (4) \$ 40 kmph but < 55 kmph (5) \$ 55 kmph Other estimates of damage severity (6) Minor (7) Moderate (8) Severe (9) Unknown	67. Type of Vehicle Inspection (0) No inspection (1) Vehicle fully repaired-no damage evident (2) Partial inspection (specify): (3) Complete inspection 68. Delta V Event Number Code the accident event sequence number that resulted in the Delta V that has been coded above for this vehicle (99) Unknown
DO NOT COMPLETE THE EXTERION *** IF GV07 DOES NOT EQUAL THE EXTERIOR VEHIC	WAS NOT INSPECTED (I.E., GV67=0), ** OR AND INTERIOR VEHICLE FORMS L 01-49, DO NOT COMPLETE *** CLE, INTERIOR VEHICLE, ND OCCUPANT INJURY FORMS.

U.S. Departr National H Administr a	nent of Transportation ighway Traffic Safe tion	etyEXTE	RIOR	VEH	CLE	POF	PNM AC	CCIDEN WORTH	T SAMF	PLING S DATA S	YSTEM YSTEM
	ary Sampling Unit Number - Stratur				Vehic	le Num	ıber				
VIN								Mo	<u>del</u> Yea	ar	
	Make (specify): _										
Locate thee	nd of the damage with r	espect to the v	vehide's dama	aged cente	rpointor	bumpero	comerfor (end impa	ndsoranı	undamaç	ged axte
	act No. Location o	f Direct Dan	nage		Locatior	n of Field	d L	Lo	cation o	f Max C	rush
NOTEO							,				
NOTES:I	dentify the plane adjustments (e.g.,	at which free spac	the C-mea ce).	asurem	ents ar	e taker	า (e.g.,	at bun	nper, a	bove b	umper, a
١	Measure C1 to C6	from driv	er to pas	senger	side in	front o	or rear	impact	s and r	ear to	front in s
Į.	Free space value i ocations. This m each C-measurem	ay include	the follo	wing: b	etwee umper	n the b lead, l	aseline oumpei	and the taper	he origi , side p	inal bo protrus	dy contou ion, side t
	Jse as many lines			sary to	descril	oe each	n dama	ge pro	file.		
	Plane of Impact C-Measurements		Damage Max Crush	Field L	C ₁	C ₂	C ₃	C_4	C ₅	C ₆	±D

Wheelbase	·_	inches	X	2.54	=	cm
Overall Length	··	inches	X	2.54	=	cm
Maximum Width		inches	X	2.54	=	cm
Curb Weight		pounds	x	.4536	=	, kg
Average Track		inches	X	2.54	=	cm
Front Overhang		inches	X	2.54	=	cm
Rear Overhang		inches	X	2.54	=	cm
Undeformed End Width		inches	X	2.54	=	cm
Engine Size: cyl./displ.		СС	x	.001	=	L
		CID	Х	.0164	=	L

National Accident Sampling System-Crashworthiness Data System: Exterior Vehi@lægleo2m

TIRE—WHEEL DAMAGE a. Rotation physicallyTire restricted deflated RF RF LF LF RR LR LR LR LR (1) Yes (2) No (8) NA (9) Ur	ORIGINAL SPECIFICATIONS Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang	cm cm cm kg cm	WHEEL STEER ANGLES (For locked front wheels of displaced rear axles only) RF ± B LF ± B RR ± B LR ± B Within ± 5 degrees DRIVE WHEELS
TYPE OF TRANSMISSION G Manual G Automatic END SHIFT \$ 10 CM G Yes G No	Rear Overhang Undeformed End Width Engine Size: cyl./di <u>spl.</u>		G FWD G RWD G 4WD Approximate Cargo Weight kg
	ASUREMENTS IN CENTIMETE		

NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful ir reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

CODES FOR OBJECT CONTACTED							
(01-30) — Vehicle Number	(57) Fence						
Noncollision (31) Overturn — rollover (excludes end-over-end) (32) Rollover—end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify):	(61) Ground(62) Fire hydrant(63) Curb(64) Bridge						
(36) Noncollision injury (38) Other noncollision (specify):	(68) Other fixed object (specify): (69) Unknown fixed object						
Collision With Fixed Object (41) Tree (# 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter) Nonbreakaway Pole or Post (50) Pole or post (# 10 cm in diameter) (51) Pole or post (> 10 cm but # 30 cm in diameter) (52) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown) (54) Concrete traffic barrier	(88) Other nonfixed object (specify): (89) Unknown nonfixed object						
(55) Impact attenuator (56) Other traffic barrier (includes guardrail) (specify):	(98) Other event (specify): (99) Unknown event or object						
Accident Event Sequence Number Contacted DEFORMATION CLASSIFICATION (1) (2) Direction Incremental (3) Value of Deformate Value of Deformate Contacted (degrees) Shift Location	(4) (5) Specific Specific (6) Longitudinal Vertical or Type of (7) tion or Lateral Lateral Damage Deformation						

National Accident Sampling System-Crashworthiness Data System: Exterior Vehi@leg@o4m

HIGHEST	Γ DELTA "V"						
Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	Lateral	Damage	(7) Deformation n Extent
4	5	6	7	8	9	10	11
Second H	Highest Delta	"V"					
12	_ 13	14	_ 15	16	17	18	19
	crush profile for the appropria						
	Γ DELTA "V"						
20. L	21. _C ₁		C ₃		<u>C₅</u>	C ₆	22.
						+ S	
Second H	Highest Delta	"V"					
23. 	24. C ₁				C ₅	C ₆	25. ±D
						+ 	
(Code impad (250) (998)	formed End Ved when higher tis an end p Code to the 250 centime No highest s Unknown	est severity lane impact nearest cent ters or more	t.) timeter e	(650) (999)	al Wheelbas Code to the centimeter 650 centime Unknown inches	nearest eters or more	 e centime er


NI - 1: I	A ! -I I	C 1!	C	Crashworthine	D-1-	C	C+	\/ - L : N E - E
Mational	ACCIDENT	Sampling	SVCTAM-	. rashwarthing	ce mara	YNCIAM.	FYTATIOT	
Nationai	ACCIGCIII	Januping	Jystein		JJ Data	Jysteiii.	LALCIIOI	

Are CDCs Documented but Not Coded on The Automated File? (0) No (1) Yes		Location of Fuel Tank-1 Filler Cap Location of Fuel Tank-2 Filler Cap (0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) or plane (3) Aft of center of the rear wheels (rear axle) or plane
Researcher's Assessment of Vehicle Disposition (0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? (0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify):		side plane (4) Forward of center of the rear wheels (rear a side plane (5) Forward of center of the rear wheels (rear a right side plane (6) Over the center of the rear wheels (rear axle side plane (7) Over the center of the rear wheels (rear axle side plane (8) Other (specify):
		(9) Unknown
Fire Occurrence (0) No fire Yes, fire occurred (1) Minor (2) Major (9) Unknown Origin of Fire (0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify): ———————————————————————————————————	40.	Location of Fuel Tank-1 Location of Fuel Tank-2 (0) No fuel tank (1) Aft of center of the rear wheels (rear axle) of center of the rear wheels (rear axle) led (3) Aft of center of the rear wheels (rear axle) led (4) Forward of center of the rear wheels (rear axle) is centered (5) Forward of center of the rear wheels (rear axle) (6) Forward of center of the rear wheels (rear axle) (7) Over center of the rear wheels (rear axle) (8) Other (specify):

National Accident Sampling System-Crashworthiness Data System: Exterior Vehi@legleo6m

43. Leakage Location of Fuel Sys	stem-1 47	7. Is Th	nis Vehicle Equipped With More Th <u>an</u> Fuel Tanks?
44. Leakage Location of Fuel Sys (0) No fuel tank (1) No fuel leakage	stem-2	(0) Yes	No (one or two tanks only) - More Than Two Tanks Yes no damage to any tank or filler
Primary Area Of Leakage (2) Tank (3) Filler neck (4) Cap (5) Lines/pump/filter (6) Vent/emission recovery (8) Other (specify): (9) Unknown		(2)	cap and no fuel system leakage Yes no damage to any tank or filler cap but there is fuel system leakage (specify leakage location): Yes damage to an additional tank or filler cap and there is fuel system leakage (specify the following): Type of tank
45. Fuel Type-1			Tank location Filler cap location
46. Fuel Type-2			Tank damage Location of leakage Type of fuel
Single Fuel Type (00) No fuel tank (01) Gasoline			Unknown if more than two tanks
 (02) Diesel (03) CNG (Compressed Nature) (04) LPG (Liquid Petroleum General Research) (05) LNG (Liquid Natural Gaster) (06) Methanol (M100 or M85ter) (07) Ethanol (E100 or E85ter) (08) Other (Hydrogen or othe) 	as) also)		COMMENTS
Electric Powered or Electric/S Powered Vehicles (10) Lead Acid Battery (11) Nickel-Iron Battery (12) Nickel-Cadmium Battery (13) Sodium Metal Chloride E (14) Sodium Sulfur Battery (18) Other (Specify): (98) Other Hybrid (specify): (99) Unknown fuel type	Battery		
*** STOP: IF THE	CDS APPLICABLE	VEHIC	LE WAS NOT TOWED ***
	(GV10=	:0)	
DO NOT	COMPLETE THE INT	ERIOR	VEHICLE FORM.

J.S. Department of Transportation National Highway Traffic Safety INTERIOR VE	HICLE PORM ACCIDENT SAMPLING SYSTEM
Primary Sampling Unit Number	Type of Window/Windshield Glazing
2. Case Number - Stratum	15. WS 16. LF 17. RF 18. LR 19. RR
3. Vehicle Number	20. BL 21. Roof 22. Other
	(0) No glazing
4. Passenger Compartment Integrity (00) No integrity loss Yes, Integrity Was Lost Through (01) Windshield (02) Door (side) (03) Door/hatch (back door) (04) Roof (05) Roof glass (06) Side window (07) Rear window (backlight) (08) Roof and roof glass (09) Windshield and door (side) (10) Windshield and roof (11) Side and rear window (side window and backligh (12) Windshield and side window (13) Door and side window (98) Other combination of above (specify): ———————————————————————————————————	(1) AS-1 — Laminated (2) AS-2 — Tempered (3) AS-3 — Tempered-tinted (original) (4) AS-2 — Tempered-with after market tint (5) AS-3 — Tempered-tinted (with additional after marke (6) AS-14 — Glass/Plastic (7) Glazing removed prior to accident (8) Other (specify): ———————————————————————————————————
	(9) Unknown
Door, Tailgate or Hatch Opening	Glazing Damage from Impact Forces
5. LF 6. RF 7. LR 8. RR 9. TG/H_	31. WS 32. LF 33. RF 34. LR 35. RR
(0) No door/gate/hatch (1) Door/gate/hatch remained closed and operational (2) Door/gate/hatch came open during collision (3) Door/gate/hatch jammed shut (8) Other (specify): ———————————————————————————————————	36. BL 37. Roof 38. Other (0) No glazing (1) No glazing damage from impact forces (2) Glazing in place and cracked from impact forces (3) Glazing in place and holed from impact forces (4) Glazing out-of-place (cracked or not) and not holed from impact forces (5) Glazing out-of-place and holed from impact forces (6) Glazing disintegrated from impact forces (7) Glazing removed prior to accident (9) Unknown if damaged
Collision. If IV05-IV09 2, Then code 0	Glazing Damage from Occupant Contact
10. LF 11. RF 12. LR 13. RR 14. TG/H	
(0) No door/gate/hatch or door not opened	44. BL 45. Roof 46. Other
Door, Tailgate or Hatch Came Open During Collision (1) Door operational (no damage) (2) Latch/striker failure due to damage (3) Hinge failure due to damage (4) Door structure failure due to damage (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage (6) Latch/striker and hinge failure due to damage (8) Other failure (specify): ———————————————————————————————————	(0) No glazing (1) No occupant contact to glazing (2) Glazing contacted by occupant but no glazing damag (3) Glazing in place and cracked by occupant contact (4) Glazing in place and holed by occupant contact (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact (6) Glazing out-of-place by occupant contact and holed k (7) Glazing removed prior to accident (8) Glazing disintegrated by occupant contact (9) Unknown if contacted by occupant




LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measur COMPARISON VALUE —	ements Are In Centime INTRUDED VALUE =	ters) INTRUSION	DOMINANT CRUSH DIRECTION
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		
		_	=		

Note: If no intrusion	ns, leave variables IV	/47-IV86 blar	HNTRUDING COMPONENT
			Interior Components (01) Steering assembly (02) Instrument panel left
1st 47	48	50	(03) Instrument panel center (04) Instrument panel right (05) Toe pan (06) A (A1/A2)-pillar (07) B-pillar
2nd 51	52 53	54	(08) C-pillar (09) D-pillar (10) Side panel - forward of the A1/A2-pillar (11) Door panel (side)
3rd 55	56 57	58	(11) Bool parter (side) (12) Side panel - rear of the B-pillar (13) Roof (or convertible top) (14) Roof side rail (15) Windshield
4th 59	60	62	(16) Windshield header (17) Window frame (18) Floor pan (includes sill)
5th 63	64	66	(19) Backlight header (20) Front seat back (21) Second seat back (22) Third seat back
6th 67	68	70	(23) Fourth seat back(24) Fifth seat back(25) Seat cushion(26) Back door/panel (e.g., tailgate)
7th 71	72 73	74	(27) Other interior component (specify):
8th 75	76	78	Exterior Components (30) Hood (31) Outside surface of this vehicle (specify):
9th 79	80 81	82	 (32) Other exterior object in the environment (specify): (33) Unknown exterior object (97) Catastrophic (98) Intrusion of unlisted component(s)
10th 83	84	86	(specify): (99) Unknown
Front Seat (11) Left (12) Middle (13) Right Second Seat (21) Left (22) Middle	Fourth Seat (41) Left	rophic enclosed	MAGNITUDE OF INTRUSION (1) \$ 3 centimeters but < 8 centimeters (2) \$ 8 centimeters but < 15 centimeters (3) \$ 15 centimeters but < 30 centimeters (4) \$ 30 centimeters but < 46 centimeters (5) \$ 46 centimeters but < 61 centimeters (6) \$ 61 centimeters (7) Catastrophic (9) Unknown
(23) Right Third Seat (31) Left (32) Middle (33) Right	(99) Unknov	wn	DOMINANT CRUSH DIRECTION (1) Vertical (2) Longitudinal (3) Lateral (7) Catastrophic (9) Unknown

		(All Meas	surements Are in Centin	neters)	
CC	MPARISON VALUE	_	DAMAGE VALUE	=	DEFORMATION
		_		=	
				=	
				=	
		_		=	

37. Steering Column Type	92. Odometer Reading,000
 (1) Fixed column (2) Tilt column (3) Telescoping column (4) Tilt and telescoping column (8) Other column type (specify): (9) Unknown 	kilometers Code to the nearest 1,000 kilometers (000) No odometer (001) Less than 1,500 kilometers (500) 499,500 kilometers or more (999) Unknown kilometers
38. Tilt Steering Column Adjustment (0) No tilt steering column (1) Full up (2) Between full up and center (3) Center (4) Between center and full down (5) Full down (9) Unknown	Source: 93. Instrument Panel Damage from Occupant Contact? (0) No (1) Yes (9) Unknown 94. Type of Knee Bolster Covering (0) No knee bolster
39. Telescoping Steering Column Adjustment (0) No telescoping steering column (1) Full back (2) Between full back and midpoint (3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown	(1) Padded (2) Rigid plastic (8) Other (specify): (9) Unknown 95. Knee Bolsters Deformed from Occupant Contact? (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown
20. Steering Rim/Spoke DeformationCode actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeter (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown	(2) Yes - door opened ured (9) Unknown 97. Adaptive (Assistive) Driving Equipment
P1. Location of Steering Rim/Spoke Deformation (00) No steering rim deformation Quarter Sections (01) Section A (02) Section B (03) Section C (04) Section D Half Sections (05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke (09) Complete steering wheel collapse (10) Undetermined location (99) Unknown	(0) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) [] Hand controls for braking/acceleration [] Steering control devices (attached to OEM wheel [] Steering knob attached to steering wheel [] Low effort power steering (unit or device) [] Replacement steering wheel (i.e., reduced [] Joy-stick steering controls [] Wheelchair tie-downs [] Modification to seat belts (specify): [] Additional or relocated switches (specify): [] Raised roof [] Wall-mounted head rest (used behind wheels) [] Other adaptive device (specify): (9) Unknown

National Accident Sampling System-Crashworthiness Data System: Interior Vehicha forth



Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

National Accident Sampling System-Crashworthiness Data System: Interior Vehidle for 5n

			Body				Confidence	
	Interior Component	Occupant No. If	Region If				Level of Contact	
Contact	Contacted	Known	Known	Sı	upporting Physical	Evidence	Point	
Α								
В								
С								
D								
E								
F								
G								
H								
I								
J								
K								
L								
M								
N								
(002) Mirror (003) Sunvisor (004) Steering v (005) Steering v (006) Steering v codes 004 (007) Steering v selector le (008) Cellular tel (009) Add on ev tapedeck, (010) Left instrubelow (011) Center instelow (012) Right instribelow (013) Glove com (014) Knee bols (015) Windshiel more of the header, A instrumer steering a only) (016) Windshiel more of the header, A instrumer (passenge (017) Windshiel exterior of	RONT OO1) Windshield OO2) Mirror OO3) Sunvisor Steering wheel rim OO5) Steering wheel hub/spoke OO6) Steering wheel (combination of codes OO4 and OO5) OO7) Steering column, transmission selector lever, other attachment on the selector lever attachment on selector lever, other attachment on selector lever, other attachment on selector lever, other attachment on the selector lever, other attachment on selector lever, other attachment on selector lever, other attachment on the selector lever, other attachment on selector lever, other attachment on the selector lever, other attachment on sexcluding hardware on sexcluding hardware on ones of side vindow glass including one or more of side rail. (O55) Left side window glass including one or more following: frame, wind A (A1/A2)-pillar, bepillar ones or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only) O16) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only) O17) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (pass		e interior surface, ig hardware or s e hardware or armres A1/A2)-pillar illar (specify): e window glass e window sill e window glass g one or more of the gr frame, window sill 2)-pillar, B-pillar, or e rail. ft side object (specify de hardware or s de hardware or armr (A1/A2)-pillar glhr pillar (specify): de window glass g one or more of the gr frame, window glass g one or more of the gr frame, window sill de window glass g one or more of the gr frame, window sil 2)-pillar, or e rail.	(151) (152) (153) st (155) (160) (161) (162) (1, (163) (175) (180) (175) (180) (195) (195) ROOF (201) (202) (203) (1, (204) (205) (251) (252) (253) (254)	OR Seat, back support Seat, back support Belt restraint webbing/buckle Belt restraint B-pillar or door frame attachment point Other restraint system component (specify): Head restraint system Other occupants (specify): Interior loose objects Child safety seat (specify): Other interior object (specify): Other interior object (specify): AG Air bag-driver side Air bag-compartment cover-driver side Air bag-passenger side Air bag compartment cover-passenger side Other air bag (specify) Other air bag compartment cover (specify) Front header Rear header Roof left side rail Roof or convertible top	REAR (301) Backlight (real (302) Backlight stordoor, etc. (303) Other rear objection of the control of the con	rage rack, pject (specify): PIVE) DRIVING Is for eration trol devices DEM steering to attached to ele steering wheel I diameter) ering controls ie-downs to seat belts, relocated pecify): d head rest (used el chair) ye device	

NOTES	6: Encodetheapplicabledataf or each s	seat no	sition in the vehicle T	heattributeforthevariah	ole may he fo	ound helow. Restraint systems	
INOTES	should be assessed during						
	If a child safety seat is pres		•		•		
	If the vehicle has automatic	c restr	aints available.	encode the appro	priate da	ta on page 6.	
			Left	Center		Right	
	A-Availability					J	
F	B-Evidence of usage						
1	C-Used in this crash?						
R	D-Proper Use						
S T	E-Failure Modes						
	F-Anchorage Adjustment						
	A-Availability						
_ c	B-Evidence of usage						
E	C-Used in this crash?						
C	D-Proper Use						
SECOND	E-Failure Modes						
D	F-Anchorage Adjustment						
	A-Availability						
0	B-Evidence of usage						
Ť	C-Used in this crash?						
H	D-Proper Use						
E R	E-Failure Modes						
'`	F-Anchorage Adjustment						
A D.4-) N = = l=		
Availab		Belts	er Use of Manu None used or no	(1	,) No up	oulder belt per anchorage adjustmer der belt	
	Belt removed/destroyed	(0) (1)	Belt used proper	ly			
	Shoulder belt	(2)	Belt used proper	ly with child safety	-	table shoulder Belt	
(4)	Lap belt Lap and shoulder belt	Belt	Used Improperly	(2		r Anchorage up position	
(5) Belt available - type unknown			(3) Shoulder belt worn under arm (3) In mid position				
Inte	gral Belt Partially Destroyed	(4) (5)	Shoulder belt worn behind back o(4)eatIn full down position Belt worn around more than one (6)rsofPosition unknown				
(6)	Shoulder belt (lap belt	(6)	Lap belt worn on abdomen (9) Unknown if position has adjustate				
	destroyed/removed) Lap belt (shoulder belt	(7)	Lap belt or lap and shoulder belt used anchorage adjustment improperly with child safety seat (specify):				
	destroyed/removed)				_		
(8)	Other belt (specify):	(8)	Other improper use of manual belt system (specify):				
(9)	Unknown		(specify).				
	Manual (Active) Belt	(9)	Unknown				
System	n Use						
(00)	None used, not available, or be						
(01)	removed/destroyed Name Inoperable (specify):	/Iodes (0)	During Accider No manual belt u	nt used or not available	e		
	Shoulder belt	_ (1)	No manual belt f	ailure(s)			
	Lap belt	(2)	included)	tretched webbing r	101		
(04)	Lap and shoulder belt	(3)	Broken buckle or				
	Belt used - type unknown Other belt used (specify):						
		_	(specify):				
(12) Shoulder belt used with child safe(b) seather retractor							
		Lap belt used with child safety seā) Combination of above (specify): Lap and shoulder belt used with child <u>safety</u>					
	seat	(8)	Other manual be	It failure (specify):			
(15)	Belt used with child safety seat unknown	t - type (9)	Unknown				
(18)	Other belt used with child safet	y seat					
(99)	(specify): F Unknown if belt used F		ilder Belt Upper rage Adjustmen				

National Accident Sampling System-Crashworthiness Data System: Interior Vehicha grenton NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be below. Restraint systems should be assessed during the vehicle inspection then coded on the Assessment Form. AIR BAGS Frontal Air Bags--Left From tontal Air Bags-Right From therAir Bag Availability/Function ı R Deployment S Т **Failure** Air Bag System Deployment Air Bag System Are There Indications of Air Bag System Failure? (This Occupant Availability/Function (This Occupant Position) (0) Not equipped/not available (0) Not equipped/not available Position) (1) Deployed during accident (as a resu(t0)ofNot equipped/not available (1) Air bag impact) (1) No Non-functional (2) Deployed inadvertently just prior to (22) c Ydesn(specify): (3) Deployed, accident sequence undetermined (2) Air bag disconnected (specify): (4) Deployed as a result of a noncollisio(9) eldernit nown (3) Air bag not reinstalled during accident sequence (e.g., fire, explosion, (9) Unknown electrical) (5) Unknown if deployed Nondeployed (9) Unknown **AUTOMATIC BELTS** Left Right A-Availability/Function B-Use F C-Type **D-Proper Use** R S E-Failure Modes A-Automatic (Passive) Belt (9) Unknown **D-Proper Use of Automatic** (Passive) Belt System Availability/Function System (0) Not equipped/not available (0) Not equipped/not available/not used (1) 2 point automatic belts (1) Automatic belt used properly (2) 3 point automatic belts (2) Automatic belt used properly with (3) Automatic belts - type unknown child safety seat Automatic Belt Used Improperly Non-functional (4) Automatic belts destroyed or (3) Automatic shoulder belt worn unde rendered inoperative arm (4) Automatic shoulder belt worn behir (9) Unknown back B-Automatic (Passive) Belt (5) Automatic belt worn around more System Use than one person (0) Not equipped/not available/destroyed (6) Lap portion of automatic belt worn or rendered inoperative on abdomen (1) Automatic belt in use (7) Automatic lap and shoulder belt or (2) Automatic belt not in use (manually disconnected, motorized track automatic shoulder belt used inoperative) improperly (3) Automatic belt use unknown with child safety seat (specify): (9) Unknown (8) Other improper use of automatic be C-Automatic (Passive) Belt system System Type (specify): (0) Not equipped/not available (9) Unknown (1) Non-motorized system

(2) Motorized system

E-Automatic (Passive) Belt Failure Modes

- During Accident
 (0) Not equipped/not available/not in use


 - (1) No automatic belt failure(s)(2) Torn webbing (stretched webbing not included)
 - (3) Broken buckle or latchplate

 - (4) Upper anchorage separated(5) Other anchorage separated (specify):


 - (6) Broken retractor(7) Combination of above (specify):(8) Other automatic belt failure (specify):
 - (9) Unknown

	Driver	Passenger
A-Type of air bag?		
B-Flaps open at tear points?		
C-Flaps damaged?		
D-Air bag damaged?		
E-Source of air bag damage		
F-Air bag tethered?		
G-Air bag have vent ports?		
H-Other occupant contact air b	ag?	
I-Occupant wearing eyewear?		
(0) Not equipped/not available (1) Original manufacturer installed s (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown B-Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) open designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown C-Were Air Bag Module Cover Flap(s) Damaged?	(01)Not damaged Yes - Air Bag Damage (02)Ruptured (03)Cut (04)Torn (05)Holed (06)Burned (07)Abraded (88)Other damage (specify):	(0) Not equipped/not available (1) No (2) Yes (specify number of tether st (3) Deployed, unknown if tethered (7) Not deployed (8) Unknown if deployed (9) Unknown G-Did The Air Bag Have Vent Ports? (0) Not equipped/not available (1) No (2) Yes (specify number of vent ported) ged (3) Deployed, unknown if vent ported (7) Not deployed (8) Unknown if deployed (9) Unknown H-Was the Air Bag in this
(0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag months flap(s) damaged (7) Not deployed (8) Unknown if deployed (9) Unknown	(01)Not damaged (02)Object worn by occupant, (s 	Occupant's Position Contacted specify): Another Occupant? (0) Not equipped/not available (specify): No (2) Yes (specify): (specify): (3) Deployed, unknown if other occupant bag

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



DRIVER AIF (SINGLE)	R BAG N	MODULE	COVER	FLAP	SIZE
والحامة والمرا	11. (11.)		LI_ (\ A / \		

width (W_U) _____width (W_L) _____

height (H) _____




- 4. DRIVER AIR BAG MODULE COVER FLAP SIZE (D
 - a. Upper Flap

b. Lower Flap


width (W_U) _____ width (W_L) _____

height (H_U) _____height (H_L) _____



5. SKETCH OF OTHER TYPE OF AIR BAG MODU Æ BKÆFFØHNDF OTHER TYPE OF AIR BAG VENT POF SIZE

7. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS



3. PASSENGER AIR BAG MODULE COVER FLAP	S4ZIPASISIENLGER AIR BAG MODULE COVER FLAF SIZ
	a. Upper Flap b. Lower Flap
width (W)	width (W _u)width (W _L)
height (H)	height (H_U) height (H_L)
$\downarrow \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \qquad \downarrow \qquad \qquad$	W ₀
5. SKETCH OF OTHER TYPE OF AIR BAG MODU SIZE	JLÆ, BIKÆFFØHNDF OTHER TYPE OF AIR BAG VENT PC
7 CKETCH LOCATION OF DECTANCHIAD AID I	DAC VENT
 SKETCH LOCATION OF RECTANGULAR AIR I PORTS 	BAG VENT
10 11 12 1 2	
9 3	
8 7 6 5 4	
	


SKETCH	DAMAGE	AND CON	TACT EV	IDENCE	ON "OTHI	ER" AIR B	AG (Front)	
SKETCH	DAMAGE	AND CON	TACT EV	IDENCE	ON "OTH	ER" AIR B	AG (Back)	

3.	SKETC	H AIR	BAG	MODUL	E FLAP	AND SIZ	ZE OR O	PENING	FOR A	RBAG		
4.	SKETC	H AIR	BAG	VENT P	ORTS							

NOTES:Encode the applicable data for each seat position in the vehicle. The attribute for these Head restraint type/damage and seat type/performance should be assessed during the v Assessment Form.

		Left	Center	Right
	A-Head Restraint Type/Damag	je		
_	B-Seat Type			
F	C-Seat Orientation			
R S T	D-Seat Track Position			
Ť	E-Seat Back Incline Pre/Post In	ıpact		
	F-Seat Performance			
	A-Head Restraint Type/Damag	e		
	B-Seat Type			
S E C	C-Seat Orientation			
C	D-Seat Track Position			
N D	E-Seat Back Incline Pre/Post In	pact		
	F-Seat Performance			
	A-Head Restraint Type/Damag	e		
T	B-Seat Type			
H	C-Seat Orientation			
l R	D-Seat Track Position			
D	E-Seat Back Incline Pre/Post In	pact		
	F-Seat Performance			
	A-Head Restraint Type/Damag	je		
0	B-Seat Type			
T H	C-Seat Orientation			
E R	D-Seat Track Position			
	E-Seat Back Incline Pre/Post In	pact		
	F-Seat Performance			

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)



Coding diagrams for Seat Back Incline Position Prior and Post Impact

When a child safety seat is present of using the codes listed be						ants number
Occupant Number						
 Type of Child Safety Seat 						
Child Safety Seat Orientation						
Child Safety Seat Harness Usage						
 Child Safety Seat Shield Usage 						
Child Safety Seat Tether Usage						
Child Safety Seat Make/Model	Sp	ecify I	Below fo	r Each Child	Safety Seat	
(1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child seat (8) Unknown child saa (9) Unknown if child seat (00) No child safety seat (00) No child safety seat (00) No child safety seat (01) Rear facing (02) Forward facing (08) Other orientation (09) Unknown oriental	Type of Child Safety Seat O) No child safety seat 1) Infant seat 2) Toddler seat 3) Convertible seat 4) Booster seat 7) Other type child safety seat (specify): 8) Unknown child safety seat type 9) Unknown if child safety seat used Child Safety Seat Orientation OO) No child safety seat Designed for Rear Facing for This Age/Weight O1) Rear facing O2) Forward facing O3) Other orientation (specify): O9) Unknown orientation Designed for Forward Facing for This Age/Weight		Child Sa Note: O (00) No Not Des (01) Aft add (02) Aft (03) Chi har (09) Uni add Designe (11) Hai (12) Hai (19) Uni Unknow (21) Hai	afety Seat Shafety Seat Teptions Below child safety seat the control of the contr	ether Usage w Are Used for Seat Harness/Shield arness/shield at used, but tether added rness/shield/fether not used rness/shield/fether used rness/shield/fether used rness/shield/fether used rness/shield/fether not used for the shield/fether not used for the shield	for Variables 3-! eld/Tether l/tether l/tether used no after market tether fether sed tether used
(18) Other orientation			(29) Un	known if hai	rness/shield/	
(19) Unknown orienta Unknown Design or (Age/Weight, or Unkno (21) Rear facing (22) Forward facing (28) Other orientation	Orientation For This own Age/Weight	6.	Child Sa	afety Seat M	ild safety sea lake/Model el and occupa	
(29) Unknown orienta	ation					
(99) Unknown if child	I safety seat used					

Form Approved Department of Transportance CUPANT ASSESSMENT FORM O.M.B. No. 2127-0021 NATIONAL ACCIDENT SAMPLING SYSTEM National Highway Traffic Safety CRASHWORTHINESS DATA SYSTEM 1. Primary Sampling Unit Number 10. Occupant's Seat Position 2. Case Number - Stratum Front Seat (11) Left side 3. Vehicle Number (12) Middle (13) Right side 4. Occupant Number (14) Other (specify):___ (15) On or in the lap of another occupant Second Seat 5. Occupant's Age (21) Left side Code actual age at time of accident. (00) Less than one year old (specify by month): (22) Middle (23) Right side (24) Other (specify):__ (97) 97 years and older (99) Unknown (25) On or in the lap of another occupant Third Seat (31) Left side (32) Middle 6. Occupant's Sex (1) Male (33) Right side (34) Other (specify):__ (2) Female-not reported pregnant (3) Female-pregnant-1st trimester(1st-3rd month) (35) On or in the lap of another occupant (4) Female-pregnant-2nd trimester(4th-6th month) (5) Female-pregnant-3rd trimester(7th-9th mdnth) Fourth Seat (41) Left side (6) Female-pregnant-term unknown (42) Middle (9) Unknown (43) Right side (44) Other (specify):__ (45) On or in the lap of another occupant 7. Occupant's Height Code actual height to the nearest (97) In or on unenclosed area (98) Other seat (specify):_____ centimeter. (99) Unknown (999) Unknown ___ inches X 2.54 = ___ centimeters 11. Occupant's Posture 8. Occupant's Weight (0) Normal posture Code actual weight to the nearest kilogram. Abnormal posture (999) Unknown (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sit _ ___ pounds X .4536 = ___ __ kilograms Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window 9. Occupant's Role (5) Sitting on a console (1) Driver (6) Lying back in a reclined seat position (2) Passenger (7) Bracing with feet or hands on a surface in fro (9) Unknown (8) Other abnormal posture (specify): (9) Unknown

National Accident Sampling System-Crashworthiness Data System: Occupant Assessen2ent

12.	Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown	15.	Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
13.	Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.)		Entrapment (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, 1 (specify): (9) Unknown Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or 1 oriented to time or place
14.	Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): ———————————————————————————————————		 (2) Removed from vehicle due to perceived seriol (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (8) Removed from vehicle for other reasons (specify):

18.	Manual (Active) Belt System Availability	22.	Manual Shoulder Belt Upper Anchorage	
	 (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt 		Adjustment (0) No manual shoulder belt (1) No upper anchorage adjustment for manual belt	
	(4) Lap and shoulder belt(5) Belt available—type unknown		Adjustable shoulder Belt Upper Anchorage (2) In full up position	
	Integral Belt Partially Destroyed(6) Shoulder belt (lap belt destroyed/removed(7) Lap belt (shoulder belt destroyed/removed(8) Other belt (specify):	}	 (3) In mid position (4) In full down position (5) Position unknown (9) Unknown if position has adjustable upper aradjustment 	
	(9) Unknown	23.	Automatic (Passive) Belt System Availability/	
19.	Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify):		Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown	
	(02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt		Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown	
	(05) Belt used—type unknown (08) Other belt used (specify):		Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or	
	(12) Shoulder belt used with child safety seat(13) Lap belt used with child safety seat(14) Lap and shoulder belt used with child safety seat			rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
	(15) Belt used with child safety seat—type unl (18) Other belt used with child safety seat (specify):	(no\	(specify):	
	(99) Unknown if belt used	25.	Automatic (Passive) Belt System Type	
20.	Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly		(0) Not equipped/nót available (1) Non-motorized system (2) Motorized system (9) Unknown	
	(2) Belt used properly with child safety seat	26.	Proper Use of Automatic (Passive) Belt System	
	Belt Used Improperly(3) Shoulder belt worn under arm(4) Shoulder belt worn behind back or seat(5) Belt worn around more than one person		(0) Not equipped/not available/not used(1) Automatic belt used properly(2) Automatic belt used properly with child safety seat	
	(6) Lap belt worn on abdomen(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify)			Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than
	(8) Other improper use of manual belt system (specify):		(6) Lap portion of automatic belt worn on abdomen	
	(9) Unknown		(7) Automatic lap and shoulder belt or	
21.	Manual (Active) Belt Failure Modes During Accident		automatic shoulder belt used improperly with child safety seat (specify):	
	(0) No manual belt used or not available(1) No manual belt failure(s)(2) Torn webbing (stretched webbing not included)		(8) Other improper use of automatic belt system (specify):(9) Unknown	
	(3) Broken buckle or latchplate(4) Upper anchorage separated(5) Other anchorage separated (specify):	27.	Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use	
	(6) Broken retractor (7) Combination of above (specify):		 (1) No automatic beit failure(s) (2) Torn webbing (stretched webbing not include (3) Broken buckle or latchplate (4) Upper anchorage separated 	
	(8) Other manual belt failure (specify):(9) Unknown		(5) Other anchorage separated (specify):	
	(7) STINITOVVII		(6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify):	
			(9) Unknown	

28. Police Reported Belt Use (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify):	30. Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown
(9) Police indicated "unknown" 29. Police Reported Air Bag Availability/Function (0) No air bag available (1) Police did not indicate air bag availability (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"	31. Frontal Air Bag System Deployment (This Occupant Position) (0) Not equipped/not available (1) Deployed during accident (as a result of implet (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown /function Deployed as a result of a noncollision event accident sequence (e.g., fire, explosion, ele (5) Unknown if deployed (7) Nondeployed (9) Unknown 32. Other Than First Seat Frontal Air Bag
Check the Primary Source Used In Determinin [] Vehicle inspection [] Official injury data [] Driver/occupant interview [] Other (specify): [] Unknown if belt used	Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag
	33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of imple (2) Deployed inadvertently just prior to acciden (3) Deployed, details unknown (4) Deployed as a result of a noncollision event accident sequence (e.g., fire, explosion, ele (5) Unknown if deployed (7) Nondeployed (9) Unknown
	34. Are There Indications of Air Bag System_Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify): (9) Unknown

35.	Had Vehicle Been in Previous Accident(s)? (0) Not equipped/not available (1) No previous accidents Yes (2) Previous accident(s) without deployment(s (3) One previous accident with deployment (4) More than one previous accident with at le deployment (8) Previous accidents, unknown deployment (9) Unknown) east	(_997) Not deployed	ta
36.	Type of Air Bag (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown	41.	Did Air Bag Module Cover Flap(s) Open_At_ Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at despoints (7) Not deployed (8) Unknown if deployed	sigı
37.	Had Any Prior Maintenance/Service Been Performed On This Air Bag System? (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify): (9) Unknown	42.	 (9) Unknown Were Air Bag Module Cover Flap(s) Damaged (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag module cover damaged 	
38.	Air Bag Deployment Accident EventSequence Number (00) Not equipped/not availableCode the accident event sequence number initiated the air bag deployment (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown	er th 43.	(7) Not deployed (8) Unknown if deployed (9) Unknown at Was There Damage To The Air Bag? (00) Not equipped/not available (01) Not damaged Yes - Air Bag Damage (02) Ruptured (03) Cut	
39.	CDC For Air Bag Deployment Impact (0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify): (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown		(04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify): (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown	

				1
44.	Source of Air Bag Damage (00) Not equipped/not available (01) Not damaged (02) Object worn by occupant, (specify): (03) Object carried by occupant, (specify): (04) Adaptive/assistive controls, (specify): (05) Fire in vehicle (06) Thermal burns (07) Rescue or emergency efforts (88) Other damage source (specify): (95) Damaged, unknown source (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown		Head Restraint Type/Damage by Occupant at This Occupant Position (0) No head restraints (1) Integral—no damage (2) Integral—damaged during accident (3) Adjustable—no damage (4) Adjustable—damaged during accident (5) Add-on—no damage (6) Add-on—damaged during accident (8) Other (specify): (9) Unknown Seat Type (this Occupant Position) (00) Occupant not seated or no seat (01) Bucket (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s)	
45.	Was The Air Bag Tethered? (0) Not equipped/not available (1) No (2) Yes (specify number of tether straps):		 (06) Split bench with separate back cushions (07) Split bench with folding back(s) (08) Pedestal (i.e., column supported) (09) Box mounted seat (i.e., van type) (10) Other seat type (specify): 	
	(3) Deployed, unknown if tethered(7) Not deployed(8) Unknown if deployed(9) Unknown	51.	(99) UnknownSeat Orientation (this Occupant Position)(0) Occupant not seated or no seat(1) Forward facing seat	
46.	Did The Air Bag Have Vent Ports? (0) Not equipped/not available (1) No (2) Yes (specify number of vent ports):		(2) Rear facing seat(3) Side facing seat (inward)(4) Side facing seat (outward)(8) Other (specify):	
	 (3) Deployed, unknown if vent ports present (7) Not deployed (8) Unknown if deployed (9) Unknown 	52.	(9) Unknown Seat Track Adjusted Position Prior To Impact (0) Occupant not seated or no seat	
47.	Was the Air Bag in this Occupant's Position Contacted by Another Occupant? (0) Not equipped/not available (1) No		(1) Non-adjustable seat trackAdjustable Seat Track(2) Seat at forward most track position	n els
	(2) Yes (specify): (3) Deployed, unknown if other occupant con (7) Not deployed (8) Unknown if deployed (9) Unknown	tact	(3) Seat between forward most and middle tr (4) Seat at middle track position (5) Seat between middle and rear most track (9) Seat Seat Seat Seat Seat Seat Seat Seat	
48.	Was This Occupant Wearing Eye-wear? (0) Not air bag equipped/air bag not available (1) No (2) Eyeglasses/sunglasses (3) Contact lenses (4) Deployed, unknown if eyewear worn (7) Not deployed (8) Unknown if deployed (9) Unknown			

- 53. Seat Back Incline Prior and Post Impact ____
 - (00) Occupant not seated or no seat
 - (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position


Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown
- 54. Seat Performance (this Occupant Position)
 - (0) Occupant not seated or no seat
 - (1) No seat performance failure(s)
 - (2) Seat adjusters failed
 - (3) Seat back folding locks or "seat back" failed (specify):_____
 - (4) Seat track/anchors failed
 - (5) Deformed by impact of occupant
 - (6) Deformed by passenger compartment intrusion, (specify):_____
 - (7) Combination of above (specify):
 - (8) Other (specify): _____
 - (9) Unknown







National Accident Sampling System-Crashworthiness Data System: Occupant Assessenent

55.	Child Safety Seat Make/Model	58.	Child Safety Seat Harness Usage	
	(000) No child safety seat Applicable codes are found in your NASS CDS	Į		
	Data Collection, Coding and Editing		Child Safety Seat Shield Usage	
	(950) Built-in child safety seat			
	(997) Other make/model (specify):			
	(998) Unknown make/model	60.	Child Safety Seat Tether Usage	
	(999) Unknown if child safety seat used		Note: Options below applicable to	
			Variables OA58-OA60.	
56.	Type of Child Safety Seat (0) No child safety seat		(00) No child safety seat	
	(1) Infant seat		Not Designed With Harness/Shield/Tether	
	(2) Toddler seat		(01) After market harness/shield/tether	
	(3) Convertible seat		added, not used	
	(4) Booster seat - with shield(5) Booster seat - without shield		(02) After market harness/shield/tether used(03) Child safety seat used, but no after market	_t
	(7) Other type child safety seat (specify):		harness/shield/tether added	<i>-</i> L
			(09) Unknown if harness/shield/tether	
	(8) Unknown child safety seat type		added or used	
	(9) Unknown if child safety seat used		Designed With Harness/Shield/Tether	
			(11) Harness/shield/tether not used	
57.	Child Safety Seat Orientation		(12) Harness/shield/tether used	
	(00) No child safety seat		(19) Unknown if harness/shield/tether used	
	Designed for Rear Facing for This		Unknown If Designed With	
Ag	re/Weight	На	rness/Shield/Tether	
	(01) Rear facing		(21) Harness/shield/tether not used	
	(02) Forward facing (08) Other orientation (specify):		(22) Harness/shield/tether used (29) Unknown if harness/shield/tether used	
	(09) Unknown orientation		(99) Unknown if child safety seat used	
	Designed For Forward Facing for This			
Ag	ve/Weight			
	(11) Rear facing (12) Forward facing			
	(18) Other orientation (specify):			
	(10) Halmour orientation			
	(19) Unknown orientation			
	Unknown Design or Orientation For This			
	Age/Weight, or Unknown Age/Weight			
	(21) Rear facing(22) Forward facing			
	(28) Other orientation (specify):			
	(29) Unknown orientation			
	(99) Unknown if child safety seat used			

(0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	(0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):						
(9) Unknown (97) Not working prior to accident (99) Unknown STOP WORK HERE							

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

66.	Time to DeathCode number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured
68.	1st Medically Reported Cause of Death 2nd Medically Reported Cause of Death 3rd Medically Reported Cause of Death Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause	72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 73. Arterial Blood Gases (ABG) - HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown
	of death. (specify):	74. Primary Source of Belt Use Determination
70.	Number of Recorded Injuries for This OccupantCode the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured	 (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify):